

MATERIAL SAFETY DATA SHEET

SECTION 1: Composition

Product Name: SWAB

Company Identification: LEE LABOQRATORY EQUIPMENT CO., LTD

SECTION 2: PRODUCT COMPONENTS

Pole is made of ABS

HEAD is made of NYLON

SECTION 3: HAZARDS IDENTIFICATION

MEDICAL CLEAN CLASS, NO HAZARDS

SECTION 4 EMERGENCY and FIRST AID PROCEDURES

NO NEED

SECTION 5 FIRE and EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA: Defined as combustible. Product may support combustion under fire condition. Use carbon dioxide, dry chemicals, foam, water or water fog. Avoid use of water stream.

SPECIAL FIRE FIGHTING PROCEDURES: Evacuate area of all non emergency personnel. Firefighters should wear full, emergency equipment and NIOSH approved positive pressure self-contained breathing appSaratus. Fight fire from upwind and cool exposed intact containers and structures with water spray or stream at maximum range. Decontaminate all protective equipment after use, prevent skin contact. Contain all water run-off with diking.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Avoid open flames

南通理能实验器材有限公司
NANTONG RENON LABORATORY EQUIPMENT CO.,LTD



.....
Authorized Signature(s)

SECTION 6 ACCIDENTAL RELEASE MEASURES

No need.

SECTION 7 HANDLING and STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, well-ventilated area away from excessive heat, oxidizers and acids.

SECTION 8 EXPOSURE CONTROLS and PERSONAL PROTECTION

RESPIRATORY PROTECTION: No need.

ENGINEERING CONTROLS: No need.

PROTECTIVE CLOTHING: No need.

EYE PROTECTION: No need.

SECTION 9 PHYSICAL and CHEMICAL PROPERTIES

SPECIFIC GRAVITY (H₂O=1):0.97

SOLUBILITY IN WATER: no

FLASH POINT: 400 °C

AABSEARANCE AND ODOR: clear Pole and HEAD with color/no odor.

SECTION 10 STABILITY and REACTIVITY

STABILITY: Stable under normal storage conditions.

CONDITIONS TO AVOID: lihgt.

INCOMPATIBILITY: Contact with oxidizers may cause rapid decomposition and explosion.

Contact with additional water, inorganic acids or heavy metal salts will result in the evolution of highly flammable and toxic gases (carbon disulfide, hydrogen sulfide). In addition, Metam

Sodium is corrosive to copper, brass and zInc, and may soften and/or discolor iron.

HAZARDOUS DECOMPOSITION PRODUCTS: Exposed to fire is prohibited.

南通理能实验器材有限公司
NANTONG RENON LABORATORY EQUIPMENT CO.,LTD.

SECTION 11 TOXICOLOGICAL INFORMATION

No

Authorized Signature(s)

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Values for Metam Sodium: no

SECTION 13: DISPOSAL INFORMATION

WASTE DISPOSAL METHOD: Dispose in accordance with all local, state and federal regulations.

Triple rinse (or equivalent) drums or bulk storage tanks. Offer containers for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State/Provincial and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

SECTION 14: TRANSPORTATION INFORMATION

IMDG SHIABSING NAME: UN3005,basic, organic

IMDG CLASS: 6.1

UN NUMBER: UN3005

IMDG PACKING GROUP: II

IMDG LABELS REQUIRED: Class 6.1, Marine Pollutant

SECTION 15: REGULATORY INFORMATION

no

SECTION 16: OTHER INFORMATION

DISCLAIMER: The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards and regulations.

南通理能实验器材有限公司
NANTONG RENON LABORATORY EQUIPMENT CO.,LTD.



.....
Authorized Signature(s)